

PHP Version 4.3.10

System	Linux localhost 2.6.11-6mdk #1 Tue Mar 22 16:04:32 CET 2005 i686
Build Date	Mar 21 2005 15:54:09
Configure Command	This is irrelevant, look inside the /usr/share/doc/php-4.3.10/configure_command file. urpmi is your friend, use it to install extensions not shown below.
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
additional .ini files parsed	/etc/php.d/29_mbstring.ini, /etc/php.d/36_mysql.ini, /etc/php.d/37_mysqli.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20021010
Debug Build	no
Thread Safety	disabled
Registered PHP Streams	php, http, ftp, https, ftps, compress.zlib

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v1.3.0, Copyright (c) 1998-2004 Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	2039	2039
expose_php	On	On
extension_dir	/usr/lib/php/extensions	/usr/lib/php/extensions
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB

highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/lib/php/:usr/share/pear/	./usr/lib/php/:usr/share/pear/
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	30	30
max_input_time	60	60
memory_limit	8M	8M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
register_argc_argv	On	On
register_globals	On	On
report_memleaks	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	me@localhost.com	me@localhost.com
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100

short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On

apache2handler

Apache Version	Apache-AdvancedExtranetServer/2.0.53 (Mandrakelinux/PREFORK-9mdk) mod_ssl/2.0.53 OpenSSL/0.9.7e PHP/4.3.10
Apache API Version	20020903
Server Administrator	root@localhost
Hostname:Port	127.0.0.1:0
User/Group	apache(73)/73
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	No
Server Root	/etc/httpd/2.0
Loaded Modules	core prefork http_core mod_so mod_access mod_auth mod_auth_anon mod_auth_digest mod_include mod_log_config mod_logio mod_env mod_expires mod_headers mod_usertrack mod_setenvif mod_mime mod_status mod_autoindex mod_asis mod_info mod_cgi mod_vhost_alias mod_negotiation mod_dir mod_imap mod_actions mod_userdir mod_alias mod_rewrite mod_ssl mod_suexec mod_php4

Directive	Local Value	Master Value
engine	1	1

last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_ACCEPT	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/xhtml+xml, application/vnd.ms-xpsdocument, application/x-ms-bap, application/x-ms-application, */*
HTTP_ACCEPT_LANGUAGE	sv
HTTP_UA_CPU	x86
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_USER_AGENT	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.2; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30)
HTTP_HOST	192.168.1.33
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	sessiontest=1
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
SERVER_SIGNATURE	<address>Apache-AdvancedExtranetServer/2.0.53 (Mandrakelinux/PREFORK-9mdk) mod_ssl/2.0.53 OpenSSL/0.9.7e PHP/4.3.10 Server at 127.0.0.1 Port 80</address>
SERVER_SOFTWARE	Apache-AdvancedExtranetServer/2.0.53 (Mandrakelinux/PREFORK-9mdk) mod_ssl/2.0.53 OpenSSL/0.9.7e PHP/4.3.10
SERVER_NAME	127.0.0.1
SERVER_ADDR	192.168.1.33
SERVER_PORT	80
REMOTE_ADDR	192.168.1.34
DOCUMENT_ROOT	/var/www/html
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/var/www/html/phpinfo.php
REMOTE_PORT	3962
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>

REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.1
Accept	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/xhtml+xml, application/vnd.ms-xpsdocument, application/x-ms-xbap, application/x-ms-application, */*
Accept-Language	sv
UA-CPU	x86
Accept-Encoding	gzip, deflate
User-Agent	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.2; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30)
Host	192.168.1.33
Connection	Keep-Alive
Cookie	sessiontest=1
HTTP Response Headers	
X-Powered-By	PHP/4.3.10
Keep-Alive	timeout=15, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

ctype

ctype functions	enabled
-----------------	---------

ftp

FTP support	enabled
-------------	---------

gettext

GetText Support

enabled

openssl**OpenSSL support**

enabled

OpenSSL Version

OpenSSL 0.9.7e 25 Oct 2004

pcre**PCRE (Perl Compatible Regular Expressions) Support**

enabled

PCRE Library Version

4.5 01-December-2003

posix**Revision**

\$Revision: 1.51.2.2 \$

session**Session Support**

enabled

Registered save handlers

files user

Directive**Local Value****Master Value****session.auto_start**

Off

Off

session.bug_compat_42

On

On

session.bug_compat_warn

On

On

session.cache_expire

180

180

session.cache_limiter

nocache

nocache

session.cookie_domain*no value**no value***session.cookie_lifetime**

0

0

session.cookie_path

/

/

session.cookie_secure

Off

Off

session.entropy_file*no value**no value***session.entropy_length**

0

0

session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	Off	Off

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

yp

YP Support	enabled
------------	---------

zlib

ZLib Support	enabled
Compiled Version	1.2.2.2
Linked Version	1.2.2.2

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
LC_PAPER	en_US
LESSKEY	/etc/.less
LC_ADDRESS	en_US
HOSTNAME	localhost
LC_MONETARY	en_US
SHELL	/bin/bash
HISTSIZE	1000
LC_SOURCED	1
TMPDIR	/tmp
LC_NUMERIC	en_US
QTDIR	/usr/lib/qt3/

LOCPATH	/etc/locale
LC_TELEPHONE	en_US
SCREENDIR	/root/tmp
XDG_CONFIG_DIRS	/var/lib/menu-xdg
NLSPATH	/usr/share/locale/%l/%N
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
LC_MESSAGES	en_US
LC_COLLATE	en_US
LC_IDENTIFICATION	en_US
INPUTRC	/etc/inputrc
LANG	C
PYTHONSTARTUP	/etc/pythonrc.py
LC_MEASUREMENT	en_US
SHLVL	4
LANGUAGE	en_US:en
GCONF_TMPDIR	/tmp
G_FILENAME_ENCODING	@locale
LESS	-MM
TMP	/tmp
LC_CTYPE	en_US
XDG_DATA_DIRS	/var/lib/menu-xdg:/usr/share
LC_TIME	en_US
TEXTDOMAINDIR	/etc/locale
LC_NAME	en_US
_	/sbin/initlog

PHP Variables

Variable	Value
PHP_SELF	/phpinfo.php
_REQUEST["sessiontest"]	1
_COOKIE["sessiontest"]	1

_SERVER["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/xhtml+xml, application/vnd.ms-xpsdocument, application/x-ms-bap, application/x-ms-application, */*
_SERVER["HTTP_ACCEPT_LANGUAGE"]	sv
_SERVER["HTTP_UA_CPU"]	x86
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.2; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30)
_SERVER["HTTP_HOST"]	192.168.1.33
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	sessiontest=1
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache-AdvancedExtranetServer/2.0.53 (Mandrakelinux/PREFORK-9mdk) mod_ssl/2.0.53 OpenSSL/0.9.7e PHP/4.3.10 Server at 127.0.0.1 Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache-AdvancedExtranetServer/2.0.53 (Mandrakelinux/PREFORK-9mdk) mod_ssl/2.0.53 OpenSSL/0.9.7e PHP/4.3.10
_SERVER["SERVER_NAME"]	127.0.0.1
_SERVER["SERVER_ADDR"]	192.168.1.33
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	192.168.1.34
_SERVER["DOCUMENT_ROOT"]	/var/www/html
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SCRIPT_FILENAME"]	/var/www/html/phpinfo.php
_SERVER["REMOTE_PORT"]	3962
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["PATH_TRANSLATED"]	/var/www/html/phpinfo.php

_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["LC_PAPER"]	en_US
_ENV["LESSKEY"]	/etc/.less
_ENV["LC_ADDRESS"]	en_US
_ENV["HOSTNAME"]	localhost
_ENV["LC_MONETARY"]	en_US
_ENV["SHELL"]	/bin/bash
_ENV["HISTSIZE"]	1000
_ENV["LC_SOURCED"]	1
_ENV["TMPDIR"]	/tmp
_ENV["LC_NUMERIC"]	en_US
_ENV["QTDIR"]	/usr/lib/qt3/
_ENV["LOCPATH"]	/etc/locale
_ENV["LC_TELEPHONE"]	en_US
_ENV["SCREENDIR"]	/root/tmp
_ENV["XDG_CONFIG_DIRS"]	/var/lib/menu-xdg
_ENV["NLSPATH"]	/usr/share/locale/%l/%N
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_ENV["LC_MESSAGES"]	en_US
_ENV["LC_COLLATE"]	en_US
_ENV["LC_IDENTIFICATION"]	en_US
_ENV["INPUTRC"]	/etc/inputrc
_ENV["LANG"]	C
_ENV["PYTHONSTARTUP"]	/etc/pythonrc.py
_ENV["LC_MEASUREMENT"]	en_US
_ENV["SHLVL"]	4
_ENV["LANGUAGE"]	en_US:en
_ENV["GCONF_TMPDIR"]	/tmp
_ENV["G_FILENAME_ENCODING"]	@locale
_ENV["LESS"]	-MM

_ENV["TMP"]	/tmp
_ENV["LC_CTYPE"]	en_US
_ENV["XDG_DATA_DIRS"]	/var/lib/menu-xdg:/usr/share
_ENV["LC_TIME"]	en_US
_ENV["TEXTDOMAINDIR"]	/etc/locale
_ENV["LC_NAME"]	en_US
ENV[""]	/sbin/initlog

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.